



**Armour Pharmaceutical Company Ltd**  
St. Leonards House, St. Leonards Road, Eastbourne,  
East Sussex BN21 3YG

**Dioralyte**

Compound Sodium Chloride and Glucose  
Powder B.P.

**Calsynar**

Salcatonin

**Local Representative:**  
Mr. W. M. Armstrong  
Tel: Lisburn 3465



**BERK Pharmaceuticals Ltd.**  
St. Leonards House, St. Leonards Road, Eastbourne,  
East Sussex BN21 3YG

**FRUMIL**

Fruzemide and Amiloride B.P.


**NEW MUCODYNE FORTE**

carbocisteine

**Asilone**

activated dimethicone, aluminium hydroxide  
B.P. and magnesium oxide B.P.


**Berk Distributor:**  
Castlereagh Agencies Ltd.,  
Tel: Whiteabbey (0231) 68804/68031




# 24 protection The choice

There are two long-acting formulations of 'Inderal' which offer the advantages of a simple, once-daily regimen. Each of the two

formulations meets particular needs. Both offer the tried and tested performance of the world's most widely prescribed beta blocker.



Inderal<sup>®</sup> LA  
80mg 'Inderal'  
once a day.



Inderal<sup>®</sup> LA  
160mg 'Inderal'  
once a day.

## Inderal LA


propranolol hydrochloride in long acting formulation.

**'Inderal' LA, Half-'Inderal' LA:** abridged prescribing information. **Dosage** Angina, anxiety, essential tremor, thyrotoxicosis, prophylaxis of migraine: 1 capsule Half-'Inderal' LA, once daily, increased, if necessary, to 1 capsule 'Inderal' LA, once daily and a further increment of Half-'Inderal' LA. Hypertension: 1 capsule 'Inderal' LA, once daily, increased, as necessary, in increments of Half-'Inderal' LA. (In appropriate patients e.g. the elderly, starting dose is 1 capsule of Half-'Inderal' LA, once daily). **Contraindications** Heart block. Bronchospasm. Prolonged fasting. Metabolic acidosis. **Precautions** Untreated cardiac failure. Bradycardia. Modification of tachycardia of hypoglycaemia. Transference from, or discontinuance of, clonidine. Prescription of Class I antiarrhythmic agents.

**Co-administration with verapamil. Anaesthesia. Pregnancy. Adverse Reactions** Cold extremities, nausea, insomnia, lassitude and diarrhoea are usually transient. Isolated cases of paraesthesia of the hands; rashes and dry eyes have been reported with beta-blockers. Consider discontinuance if they occur. Beta-blockers should be withdrawn gradually. **Overdosage** See data sheet. **Basic NHS cost 28-day calendar pack, Inderal LA £6.66, Half-'Inderal' LA £4.48 PL No. 'Inderal' LA 25/0128, Half-'Inderal' LA 29/0173** \*Trade-mark. 'Inderal' is a trademark for propranolol hydrochloride B.P. Full prescribing information is available from: Imperial Chemical Industries PLC, Pharmaceuticals Division, Alderley House, Alderley Park, Macclesfield, Cheshire, SK10 4TF.

# Northern it's a great Bank

For a complete financial service, call in and talk things over with the manager at your nearest branch of Northern Bank. You will appreciate the warm, friendly welcome, our fast efficient service, and the expertise gained from our deep rooted history going all the way back to 1825.



## with Branches throughout the country!



**Mr. J.P. Campbell**

*Medical Representative for . . . .*

**ARELIX  
TRENTAL  
MERITAL  
DAONIL  
LASILACTONE**

**"Kranz"**

**461 Springfield Road, Belfast  
Northern Ireland  
BT12 7DN**

**Telephone Belfast (0232) 229953**